

## **AKV1200 STAINLESS STEEL AUTOMATIC HOSE REEL**




**AKV1200**



**ST20**


|                                  |                                         |
|----------------------------------|-----------------------------------------|
| <b>Max. working pressure</b>     | <b>80 bar</b>                           |
| <b>Connection inlet - outlet</b> | <b>1" male – ¾" male</b>                |
| <b>Bore</b>                      | <b>19mm</b>                             |
| <b>Max. hose Ø</b>               | <b>1"</b>                               |
| <b>Max. Hose length</b>          | <b>¾" – 13m (O.D. 28mm)<br/>1" – 8m</b> |
| <b>Weight</b>                    | <b>14 Kg</b>                            |
| <b>Material hose reel</b>        | <b>AISI 304 / AISI 303</b>              |
| <b>Material swivel</b>           | <b>AISI 304<br/>Seal: VITON</b>         |

# **DIMENSIONS AKV1200**



| Art. Code | A   | B   | C   | D   | E  | F   | G  | H  | I   | L   | M   | N   | O   | P   | Q  | R  |
|-----------|-----|-----|-----|-----|----|-----|----|----|-----|-----|-----|-----|-----|-----|----|----|
| AKV1200   | 220 | 232 | 180 | 204 | 13 | 262 | 50 | 50 | 560 | 430 | 140 | 260 | 460 | 120 | 40 | 1" |

# DIMENSIONS ST20



| Art. Code | A   | B   | C   | D   | E  | F   | G     | H  | I   | L   |
|-----------|-----|-----|-----|-----|----|-----|-------|----|-----|-----|
| ST20      | 205 | 180 | 250 | 210 | 13 | 210 | 30x12 | 80 | 125 | 110 |