

NiTO water couplings

Technical specifications

| | Chrome plated brass | Stainless steel (AISI 316L) |
|---------------|---------------------|-----------------------------|
| Seal | Nitrile | VITON |
| Max. pressure | 25 bar | 25 bar |
| Max. temp. | -30 °C to +100 °C | -20 °C to +150 °C |



| | Article no. | | |
|---|------------------------|--------------------|--|
| Photo | Chrome plated brass | Stainless steel | Description |
| | AK53500A3 | AK54500A3 | NITO 1/2" coupling with 1/2" BSP female thread + flat seal |
| | AK53520A3 | AK54520A3 | NITO 1/2" coupling with 3/4" BSP female thread + flat seal |
| | AK5352GA3 | | NITO 1/2" chrome plated coupler with 1/2" + 3/4" BSP and M22x1 female thread and flat seal |
| | AK5350NA3 | AK5450NA3 | NITO 1/2" coupling with 1/2" BSP male thread |
| | AK5352NA3 | | NITO 1/2" coupling with 3/4" BSP male thread |
| 0 | AK5349SA3 | | NITO 1/2" coupling with 3/8" hose tail |
| | AK5350SA3 | AK5450SA3 | NITO 1/2" coupling with 1/2" hose tail |
| | AK5350CA5 | | NITO 1/2" coupling with 5/8" hose tail |
| La | AK5351SA3 | | NITO 1/2" coupling with 3/4" hose tail |
| | AK5353RA3 | | NITO 1/2" coupling with valve and 1/2" + 3/4" BSP female thread |
| | AK53530A3 | AK54530A3 | NITO 1/2" coupling with valve and 3/4" BSP female thread |
| | AK5353NA3 | | NITO 1/2" coupling with valve and 1/2" BSP male thread |
| | AK5353SA3 | AK5453SA3 | NITO 1/2" coupling with valve and 1/2" hose tail |
| | AK5354SA3 | | NITO 1/2" coupling with valve and 3/4" hose tail |
| | AK5361BA3 | | NITO 1/2" adapter with 3/8" BSP female thread + flat seal |
| Do sea to | AK53610A3 | AK54610A3 | NITO 1/2" adapter with 1/2" BSP female thread + flat seal |
| | AK5361AA3 | AK5461AA3 | NITO 1/2" adapter with 3/4" BSP female thread + flat seal |
| | AK53620A3 | | NITO 1/2" adapter with M22x1 female thread + flat seal |
| | AK5361GA3 | | NITO 1/2" adapter with 1/2" + 3/4" BSP en M22x1 female thread + flat seal |
| | AK53611A3 | AK54611A3 | NITO 1/2" adapter with 1/2" BSP male + O-ring |
| | AK5364BA3 | | NITO 1/2" adapter with 3/8" BSP female thread |
| | AK53640A3 | | NITO 1/2" adapter with 1/2" BSP female thread |
| ······································ | AK5364AA3 | AK54615A3 | NITO 1/2" adapter with 3/4" BSP female thread |
| | AK5366AA3 | | NITO 1/2" adapter with M24x1 female thread |
| | AK5364NA3 | | NITO 1/2" adapter with M28x1 female thread |
| | AK5364TA3 | | NITO 1/2" adapter with 3/4" male thread and valve |



| 1/2" Series (continued) | | | |
|--|------------------------|--------------------|--|
| Photo | Article no. | | |
| | Chrome plated brass | Stainless steel | Description |
| | AK5360BA3 | | NITO 1/2" adapter with 3/8" hose tail |
| | AK53600A3 | AK54600A3 | NITO 1/2" adapter with 1/2" hose tail |
| and the state of t | AK5360CA3 | | NITO 1/2" adapter with 5/8" hose tail |
| | AK5360EA3 | | NITO 1/2" adapter with 3/4" hose tail |
| | AK5360AA3 | AK5460AA3 | NITO 1/2" adapter with 3/4" and 1/2" hose tail |
| CH D | AK53650A1 | | NITO 1/2" adapter x 1/2" adapter |
| | AK53760A1 | | NITO 1/2" Y-piece 3-way adapter |

| 3/4" Series | | | |
|-------------|-------------|--------------------|--|
| Photo | Article no. | | |
| | | Stainless steel | Description |
| | AK63500A3 | AK64500A3 | NITO 3/4" coupling with 3/4" BSP female thread + flat seal |
| | AK6350MA3 | | NITO 3/4" coupling with 5/8" hose tail |
| | AK6350SA3 | AK6450SA3 | NITO 3/4" coupling with 3/4" hose tail |
| | AK63530A3 | AK64530A3 | NITO 3/4" coupling with valve and 3/4" BSP female thread |
| | AK6353SA3 | AK6453SA3 | NITO 3/4" coupling with 3/4" hose tail and valve |
| | AK6361AA3 | | NITO 3/4" adapter with 1/2" BSP female thread + flat seal |
| | AK63610A3 | AK64610A3 | NITO 3/4" adapter with 3/4" BSP female thread + flat seal |
| | AK6364AA3 | | NITO 3/4" adapter with 1/2" BSP male thread |
| | AK63640A3 | AK64611A3 | NITO 3/4" adapter with 3/4" BSP male thread |
| | AK6360BA3 | | NITO 3/4" adapter with 1/2" hose tail |
| | AK6360CA3 | | NITO 3/4" adapter with 5/8" hose tail |
| | AK63600A3 | AK64600A3 | NITO 3/4" adapter with 3/4" hose tail |
| | AK6362AA3 | | NITO 3/4" adapter with 1/2" + 3/4" hose tail |
| | AK6360AA3 | | NITO 3/4" adapter with 3/4" + 1" hose tail |



| 1" Series | | | |
|-----------|-------------|--------------------|--|
| Photo | Article no. | | |
| | chronie St | Stainless steel | Description |
| | AK73500A3 | AK74500A3 | NITO 1" coupling with 1" BSP female thread |
| | AK73530A3 | | NITO 1" coupling with valve and 1" BSP female thread |
| | AK7353SA3 | | NITO 1" coupling with valve and 1" hose tail |
| | AK73610A3 | AK74610A3 | NITO 1" adapter with 1" BSP female thread |
| | AK73640A3 | AK74640A3 | NITO 1" adapter with 1" BSP male thread |
| | AK7360BA3 | | NITO 1" adapter with 3/4" hose tail |
| | AK73600A3 | AK74600A3 | NITO 1" adapter with 1" hose tail |
| | AK7360AA3 | | NITO 1" adapter with 1" + 1¼" hose tail |

| Transition pieces | | | |
|-------------------|------------------------|--------------------|---|
| Photo | Article no. | | |
| | Chrome plated brass | Stainless steel | Description |
| | AK53690A3 | | Transition piece with 1/2" BSP male and 3/4" BSP female thread |
| | AK5369BA3 | | Transition piece with M22x1 male and 1/2" BSP female thread |
| | AK5369AA3 | | Tansition piece with M22x1 male and 3/4" BSP female thread |
| | AK53700A3 | | Transition piece with 1/2" BSP male and M22x1 female thread |
| | AK63690A3 | | transition piece with 3/4" BSP male and 1" BSP female thread |
| | AK53480A8 | AK54490A3 | Reducing bush with 3/4" BSP male and 1/2" BSP + M22x1 female thread |
| | AK53490A8 | | Reducing bush with 3/4" BSP male and 1/2" BSP female thread |
| | AK53670A3 | AK54670A3 | 13mm hose tail x 1/2" BSP male thread |
| | AK63670A3 | AK64670A3 | 19mm hose tail x 3/4" BSP male thread |
| | AK73670A3 | | 25mm hose tail x 1" BSP male thread |